

# Test Plan for Openbook 1.0.0 Fuel Plugin

[Test Plan for Openbook 1.0.0 Fuel Plugin](#)

[Revision history](#)

[Openbook Plugin](#)

[Developer's specification](#)

[Limitations](#)

[Test strategy](#)

[Acceptance criteria](#)

[Test environment, infrastructure and tools](#)

[Product compatibility matrix](#)

[Type of testing](#)

[Verify Communication with OpenStack](#)

[Verify OpenStack Resource Manager Creation](#)

[System testing](#)

[Install plugin and deploy environment](#)

[Modifying env with enabled plugin \(removing/adding controller nodes\)](#)

[Modifying env with enabled plugin \(removing compute node\)](#)

[Uninstall of plugin with deployed environment](#)

[Uninstall of plugin](#)

[Appendix](#)

## Revision history

<b>Version</b>	<b>Revision date</b>	<b>Editor</b>	<b>Comment</b>
0.1	23.01.2015	Irina Povolotskaya ( <a href="mailto:ipovolotskaya@mirantis.com">ipovolotskaya@mirantis.com</a> )	Created the template structure.
0.2	22.10.2015	Jeremy Fluhmann ( <a href="mailto:jeremy@talligent.com">jeremy@talligent.com</a> )	Filled template for Openbook Fuel Plugin.

## Openbook Plugin

This plugin extends Mirantis OpenStack functionality by adding Openbook customer onboarding, self-service, and cloud billing / charge-back services. Openbook is a fully-functional, simple to use cloud management solution that has been built specifically for OpenStack. It allows users to measure, manage, and monetize clouds built on OpenStack.

### **Developer's specification**

Available on [Github repo for openstack/fuel-plugin-openbook](#) [1].

### **Limitations**

The Openbook Fuel Plugin requires Ceilometer (OpenStack Telemetry) to be included in the OpenStack environment. It also requires a [Sharefile account for Talligent](#) [2] and access to the Internet.

## Test strategy

Openbook Fuel Plugin pulls information from several OpenStack endpoints. The communication between Openbook and OpenStack is tested through the Openbook API. One test verifies initial communication with the Keystone admin endpoint, while the other verifies communication with the other OpenStack endpoints. A third test is used to verify the successful addition of an OpenStack Resource Manager in Openbook.

### **Acceptance criteria**

An OpenStack Resource Manager should be added to Openbook. This is verified by a curl request from the Fuel Master node.

### **Test environment, infrastructure and tools**

All cases run in a single environment consisting of a Fuel master node, one or more controller nodes with Ceilometer, at least one compute node, and one Operating System node.

### **Product compatibility matrix**

The Openbook Fuel Plugin is developed for Mirantis OpenStack 6.1 Juno on Ubuntu 14.04 and Mirantis OpenStack 7.0 Kilo on Ubuntu 14.04.

## Type of testing

The puppet modules for the plugin test the connectivity to OpenStack prior to creating an OpenStack Resource Manager. The output of these tests is directed to files residing on the node.

## Verify Communication with OpenStack

Test Case ID	verify_comm_with_openstack
Description	Verify that Openbook can communicate with Keystone on the admin port
Prerequisites	OpenStack nodes have been deployed. Operating System node has been deployed with the name 'openbook'.
Steps	<ol style="list-style-type: none"><li>1. SSH onto the Fuel Master node</li><li>2. Identify the IP address of the 'openbook' node via: <code>fuel nodes</code></li><li>3. SSH to the 'openbook' node</li><li>4. <code>cat /tmp/connectivity-test-results.txt</code></li></ol>
Expected Result	Output of step 4 contains service catalog results for OpenStack

## Verify OpenStack Resource Manager Creation

Test Case ID	verify_os_resource_manager_creation
Description	OpenStack nodes have been deployed. Operating System node has been deployed with the name 'openbook'.
Prerequisites	OpenStack nodes have been deployed. Operating System node has been deployed with the name 'openbook'.
Steps	<ol style="list-style-type: none"><li>1. SSH onto the Fuel Master node</li><li>2. Identify the IP address of the 'openbook' node via: <code>fuel nodes</code></li><li>3. SSH to the 'openbook' node</li><li>4. <code>cat /tmp/resource_manager_results.txt</code></li></ol>
Expected Result	Output of step 4 contains "HTTP/1.1 201 Created"

# System testing

## Install plugin and deploy environment

Test Case ID	install_plugin_deploy_env
Steps	<ol style="list-style-type: none"><li>1. Upload plugin to the master node</li><li>2. Install plugin</li><li>3. Ensure that plugin is installed successfully using cli</li><li>4. Create environment with enabled plugin in fuel ui</li><li>5. Add 3 nodes with Controller role and 1 node with Compute and another role</li><li>6. Apply network settings</li><li>7. Run network verification</li><li>8. Deploy the cluster</li><li>9. Check plugin health using cli</li><li>10. Run OSTF</li></ol>
Expected Result	<i>Plugin is installed successfully, cluster is created, network verification and OSTF are passed, and all plugin services is enabled and worked as expected.</i>

## Modifying env with enabled plugin (removing/adding controller nodes)

Test Case ID	modify_env_with_plugin_remove_add_controller
Steps	<ol style="list-style-type: none"><li>1. Upload plugin to the master node</li><li>2. Install plugin</li><li>3. Ensure that plugin is installed successfully using cli</li><li>4. Create environment with enabled plugin in fuel ui</li><li>5. Add 3 nodes with Controller role and 1 node with Compute and another role</li><li>6. Apply network settings</li><li>7. Run network verification</li><li>8. Deploy the cluster</li><li>9. Check plugin services using cli</li><li>10. Run OSTF</li><li>11. Remove 1 nodes with Controller role <i>/*remove node, where plugin's services available, to ensure that according to ha mode all plugins resources will be replaced and available on another live node and continue to work as expected*/</i></li><li>12. Re-deploy cluster</li><li>13. Check plugin services using cli</li></ol>

	<ol style="list-style-type: none"> <li>14. Run OSTF</li> <li>15. Add 1 new node with Controller role</li> <li>16. Re-deploy cluster</li> <li>17. Check plugin services using cli</li> <li>18. Run OSTF</li> </ol>
Expected Result	<i>Plugin is installed successfully, cluster is created, network verification and OSTF are passed, and all plugin services is enabled after migration in ha mode and worked as expected after modifying of environment.</i>

### **Modifying env with enabled plugin (removing/adding compute node)**

Test Case ID	modify_env_with_plugin_remove_add_compute
Steps	<ol style="list-style-type: none"> <li>1. Upload plugin to the master node</li> <li>2. Install plugin</li> <li>3. Ensure that plugin is installed successfully using cli</li> <li>4. Create environment with enabled plugin in fuel ui</li> <li>5. Add 3 nodes with Controller role and 2 nodes with compute roles and 1 another role</li> <li>6. Apply network settings</li> <li>7. Run network verification</li> <li>8. Deploy the cluster</li> <li>9. Check plugin services using cli</li> <li>10. Run OSTF</li> <li>11. Remove 1 compute node</li> <li>12. Re-deploy cluster</li> <li>13. Check plugin services using cli</li> <li>14. Run OSTF</li> <li>15. Add 1 compute node</li> <li>16. Re-deploy cluster</li> <li>17. Check plugin services using cli</li> <li>18. Run OSTF</li> </ol>
Expected Result	<i>Plugin is installed successfully, cluster is created, network verification and OSTF are passed, and all plugin services is enabled and worked as expected after modifying of environment.</i>

### **Uninstall of plugin with deployed environment**

Test Case ID	uninstall_plugin_with_deployed_env
Steps	<ol style="list-style-type: none"> <li>1. install plugin</li> </ol>

	<ol style="list-style-type: none"> <li>2. deploy environment with enabled plugin functionality</li> <li>3. run ostf</li> <li>4. try to delete plugin and ensure that present in cli alert: "400 Client Error: Bad Request (Can't delete plugin which is enabled for some environment.)"</li> <li>5. remove environment</li> <li>6. remove plugin</li> <li>7. check that it was successfully removed</li> </ol>
Expected Result	<i>Plugin was installed successfully. Alert is present when we trying to delete plugin which is attached to enabled environment. When environment was removed, plugin is removed successfully too.</i>

## Uninstall of plugin

Test Case ID	uninstall_plugin
Steps	<ol style="list-style-type: none"> <li>1. install plugin</li> <li>2. check that it was installed successfully</li> <li>3. remove plugin</li> <li>4. check that it was successfully removed</li> </ol>
Expected Result	<i>Plugin was installed and then removed successfully</i>



## Appendix

Provide any links to external resources or documentation here.

№	Resource title
1	<a href="https://github.com/openstack/fuel-plugin-openbook/blob/master/specs/openbook-plugin.rst">https://github.com/openstack/fuel-plugin-openbook/blob/master/specs/openbook-plugin.rst</a>
2	<a href="https://talligent.sharefile.com/">https://talligent.sharefile.com/</a>